CITY COUNCIL
COMMITTEE ON ZONING, LANDMARKS AND BUILDING STANDARDS

COUNCIL ORDER

RE: **Approval of sign over 100 square feet in area or over 24 feet above grade**

ORDERED, that the City Council hereby approves the following sign application submitted by:

Applicant*: PLS CHECK CASHERS OF ILLINOIS, INC.
(* The Applicant is the owner of the real property or the business tenant of the real property. Do not list the sign contractor, sign erector, sign company or advertising entity in the above space.)

This Order approves the following sign in accordance with Municipal Code of Chicago Section 13-20-680:

Address of Sign: 4000 W 26th St **Chicago, IL 60623**

Zoning District: B1 -3

DOB Sign Permit Application #: 101075136

Sign Details:

1. **On-premise** **OR** **Off-premise** _____
2. **Static sign** **OR** **Dynamic-image display sign**
3. **Number of sign faces** 1
4. **Projecting over the public way** Yes **(Yes or No)** **If yes, Public Way Use #:** BACP2173564
5. **Dimensions:** **Length** 29 **feet** **10** **inches** **Height** 4 **feet** **0** **inches**

   Total square feet in area: 119
6. **Height above grade:** 18 **feet** **0** **inchesTO** *top of sign or sign structure*
7. **Elevation (side of building or lot where the sign will be erected):** W 26th St (South)
8. **Name of Sign Contractor/Erector:Volkan** Signs & Lighting (TGC101265)

To be legal, such sign shall comply with all provisions of Title 17 of the Chicago Municipal Code ("Zoning Ordinance") and all other provisions of the Municipal Code governing the permitting, construction and maintenance and removal of signs and sign structures. Failure of the applicant and the applicant's successors to comply shall be grounds for invalidation or revocation of the sign permit.

Michael D. Rugg

Alderman

22

Ward

OPTION 2 **Site Plan**

SIGN / ELEVATION	MAX SF	PROPOSED SF	SOW
	156 SF	119.3 SF	NEW SIGN WALL SIGN
		30.0 SF	NEW SIGN BLADE SIGN
	180 SF	83 SF	NEW SIGN WALL SIGN
		30.0 SF	NEW SIGN BLADE SIGN



SITE PLAN
SCALE:NTS

EZZI SIGNS
EST. 2005
16611 West Little York Rd
Houston, Texas 77084
EZZISIGNS.COM
713-232-0771

PROJECT:
ES13900 · PLS CC089

ADDRESS:
4000 W. 26TH ST.
CHICAGO , IL 60623

DATE: 03/07/25

PROJECT NUMBER:
ES13900

DESIGNER:
MAURICIO

REVISIONS
R1:
R2:
R3:

APPROVALS / DATE
CLIENT:
LANDLORD:

SEVEN YEAR WARRANTY

® Installation requirements. This sign is to be installed in accordance with the requirements of article 600 of the national electrical code and other applicable local codes. This includes proper grounding and bonding. The location of the disconnect switch after installation shall comply with Article 600.6(A)(1) of the National Electrical Code.


All conceptual renderings are property of Ezzi Signs. Any reproduction, exhibition or use of this drawing is strictly prohibited
©2025. All rights reserved.

Face-Lit Internally Illuminated Channel Letter Set w/ Service Cabinet

SCOPE OF WORK


1. FABRICATE AND INSTALL - NEW CHANNEL LETTERS w/ SERVICE CABINET
2. FABRICATE AND INSTALL - NEW BLADE SIGN

OPTION 2



SOUTH ELEVATION
SCALE: 3/32"=V-0"

60'-4"



EAST ELEVATION
SCALE: 3/32"=V-0"

EZZI SIGNS
EST. 2005
16611 West Little York Rd
Houston, Texas 77084
EZZISIGNS.COM
713-232-0771

PROJECT:
ES13900 - PLS - CC089

ADDRESS:
4000 W. 26TH ST.
CHICAGO , IL 60623

DATE: 03/07/25

PROJECT NUMBER:
ES13900

DESIGNER:
MAURICIO

REVISIONS
R1:

R2:

R3:

APPROVALS / DATE

:LI ENT:

LANDLORD:

SEVEN YEAR WARRANTY

® Installation requirements. This sign is to be installed in accordance with the requirements of article 600 of the national electrical code and other applicable local codes. This includes proper grounding and bonding. The location of the disconnect switch after installation shall comply with Article 600.6(A)(1) of the National Electrical Code.

All conceptual renderings are property of Ezzi Signs. Any reproduction, exhibition or use of this drawing is strictly prohibited
©2025. All rights reserved.

Face-Lit Internally Illuminated Channel Letter Set w/ Service Cabinet

SCOPE OF WORK

1.FABRICATE AND INSTALL - NEW CHANNEL LETTERS w/ SERVICE CABINET

2.FABRICATE AND INSTALL - NEW BLADE SIGN

OPTION 2 A2

QTY : 1

119.3 SQ FT



3M #3630-156 VIVID GREEN TRANS. VINYL	3M #3630-015 YELLOW TRANS. VINYL	3M #3630-44 ORANGE TRANS. VINYL	3M #7725-22 MATTE BLACK OPAQUE VINYL

DESIGN

SCALE: 3/8" = T - 0"

EZZI SIGNS
EST. 2005

16611 West Little York Rd
Houston, Texas 77084
EZZISIGNS.COM
713-232-0771

PROJECT:
ES13900 - PLS - CC089

ADDRESS:
4000 W. 26TH ST.
CHICAGO , IL 60623

DATE: 03/07/25

PROJECT NUMBER:
ES13900

DESIGNER:
MAURICIO

REVISIONS
R1:

R2:

R3:

APPROVALS / DATE

CLIENT:

LANDLORD:

SEVEN YEAR WARRANTY

® Installation requirements. This sign is to be installed in accordance with the requirements of article 600 of the national electrical code and other applicable local codes. This includes proper grounding and bonding. The location of the disconnect switch after installation shall comply with Article 600.6(A)(1) of the National Electrical Code.

All conceptual renderings are property of Ezzi Signs. Any reproduction, exhibition or use of this drawing is strictly prohibited
©2025. All rights reserved.


Face-Lit Internally Illuminated Channel Letter Set

SIGN TYPE A2

QTY : 1

SIGN TYPE B2

QTY : 1



A **TRIM: 1" JEWELITE**
COLOR:BLACK
BLACK

B **RETURNS: 3" DEEP .040" ALUMINUM**
COLOR:

C **FACES: WHITE ACRYLIC**
V1: 3M 3630-156 VIVID GREEN
V2: 3M 3630-015 YELLOW
V3: 3M 7725-025 MATTE BLACK (OUTLINE)

D **BACKS: .125" ALUMINUM**
STOCK WHITE

E **INTERIOR ILLUMINATION: WHITE -**
PRINCIPAL LED QWIK MOD 2

F **POWER SUPPLIES:**
GROUNDED WALL PASS-THRU SEALED WATER TIGHT

G **HOUSED BEHIND WALL**
DISCONNECT SWITCH (NEC 600-5)


MOUNTING: MINIMUM 3/8" X 5" FASTENERS

H **FLUSH MOUNTED (NON-CORROSIVE/GALVANIZED)**

I **1/4" WEEP HOLES, 2 PER LETTER, WITH LIGHT BAFFLES**

(1)120VAC/20A CIRCUIT REQUIRED
T100 SERIES ELECTROMECHANICAL TIME SWITCHES
INSTALLED BY CLIENT ELECTRICIAN BY BREAKER BOX

REGISTRATION MARK TO BE BLACK VINYL ON CLEAR ACRYLIC TAB ATTACHED TO BACK OF "S" CHANNEL LETTER



1. CUSTOMER G.C. TO PROVIDE ADEQUATE WOOD OR MTL. BLOCKING IN CORRELATION W/ FACADE FRAMING AS REQUIRED.
2. INSTALLER IS TO V.I.F. & PROVIDE THE PROPER NON-CORROSIVE MOUNTING HARDWARE TO ENSURE SAFE INSTALLATION.
3. ALL EXTERIOR FACADE PENETRATIONS TO BE WATERTIGHT.
4. INSTALLATION TO MEET CURRENT N.E.C., U.L. & LOCAL CODES. LOCATION OF THE DISCONNECT SWITCH AFTER INSTALLATION SHALL COMPLY WITH ARTICLE 600.6(A) (1) OF THE NATION ELECTRICAL CODE

ELECTRICAL

1. ALL ELECTRICAL COMPONENTS TO BE U.L. APPROVED.
2. CUSTOMER IS RESPONSIBLE FOR ONE (1) 120v/ 20a DEDICATED CIRCUIT w/ GROUND PER SIGN TO WITHIN 6' OF SIGN.
3. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDING W/ THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN.

FABRICATOR

1. PLACEMENT OF LIGHTING ELEMENTS FOR OPTIMUM ILLUMINATION OF SIGN TO BE DETERMINED IN PRODUCTION.
2. MANUFACTURER & U.L. LABELS TO BE APPLIED & VISIBLE FROM THE GROUND. LOCATED ON THE LAST CHANNEL LETTER OR END OF THE SIGN BOX/FREESTANDING SIGN

Ui

ALL ELECTRICAL COMPONENTS ARE TO BE UL APPROVED

CHANNEL LETTERS - TYPICAL DETAIL
SCALE: NTS

EZZI SIGNS
EST. 2005
16611 West Little York Rd
Houston, Texas 77084
EZZISIGNS.COM
713-232-0771

PROJECT:
ES13900 - PLS - CC089

ADDRESS:
4000 W. 26TH ST.
CHICAGO , IL 60623

DATE: 03/07/25

PROJECT NUMBER:
E S13 9 0 0

DESIGNER:
MAURICIO

REVISIONS
R1:

R2:

R3:

APPROVALS / DATE

CLIENT:

LANDLORD:

SEVEN
YEAR WARRANTY


® Installation requirements. This sign is to be installed in accordance with the requirements of article 600 of the national electrical code and other applicable local codes. This includes proper grounding and bonding. The location of the disconnect switch after installation shall comply with Article 600.6(A)(1) of the National Electrical Code.

All conceptual renderings are property of Ezzi Signs. Any reproduction, exhibition or use of this drawing is strictly prohibited
©2025. All rights reserved.

Face-Lit Internally Illuminated Services Cabinet


A2 QTY : 1

B2 QTY : 1



- A — RETAINERS: 1 1/2"X1 1/2" ALU. ANGLE
  COLOR:BLACK
  BLACK
- B — RETURNS: 3" DEEP .040" ALUMINUM
  COLOR:BLACK
- C — FACES: WHITE ACRYLIC
  V1: 3M 7725-025 MATTE BLACK
  V2: 3M 3630-044 ORANGE
  V3: 3M 7725-015 YELLOW
- D — BACKS: .125" ALUMINUM
  STOCK WHITE
- E — INTERIOR ILLUMINATION: WHITE -
  PRINCIPAL LED QWIK MOD 2
- F — GROUNDED WALL PASS-THRU SEALED WATER TIGHT
- G — POWER SUPPLIES:
  HOUSED BEHIND WALL
  DISCONNECT SWITCH (NEC 600-5)
- H — MOUNTING: MINIMUM 3/8" X 5" FASTENERS
  FLUSH MOUNTED (NON-CORROSIVE/GALVANIZED)
- I — 1/4" WEEP HOLES, 2 PER LETTER, WITH LIGHT BAFFLES

(1)120VAC/20A CIRCUIT REQUIRED
T100 SERIES ELECTROMECHANICAL TIME SWITCHES
INSTALLED BY CLIENT ELECTRICIAN BY BREAKER BOX



	1. CUSTOMER G.C. TO PROVIDE ADEQUATE WOOD OR MTL. BLOCKING IN CORRELATION W/ FACADE FRAMING AS REQUIRED. 2. INSTALLER IS TO V.I.F. & PROVIDE THE PROPER NON-CORROSIVE MOUNTING HARDWARE TO ENSURE SAFE INSTALLATION. 3. ALL EXTERIOR FACADE PENETRATIONS TO BE WATERTIGHT. 4. INSTALLATION TO MEET CURRENT N.E.C., U.L. & LOCAL CODES. LOCATION OF THE DISCONNECT SWITCH AFTER INSTALLATION SHALL COMPLY WITH ARTICLE 600.6(A) (1) OF THE NATION ELECTRICAL CODE	ELECTRICAL	1. ALL ELECTRICAL COMPONENTS TO BE U.L. APPROVED. 2. CUSTOMER IS RESPONSIBLE FOR ONE (1) 120v/ 20a DEDICATED CIRCUIT w/ GROUND PER SIGN TO WITHIN 6' OF SIGN. 3. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDING W/ THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN.	FABRICATOR	1. PLACEMENT OF LIGHTING ELEMENTS FOR OPTIMUM ILLUMINATION OF SIGN TO BE DETERMINED IN PRODUCTION. 2. MANUFACTURER & U.L. LABELS TO BE APPLIED & VISIBLE FROM THE GROUND. LOCATED ON THE LAST CHANNEL LETTER OR END OF THE SIGN BOX/FREESTANDING SIGN	Ui ALL ELECTRICAL COMPONENTS ARE TO BE UL APPROVED

CHANNEL LETTERS - TYPICAL DETAIL
SCALE: NTS

EZZI SIGNS
EST. 2005
16611 West Little York Rd
Houston, Texas 77084
EZZISIGNS.COM
713-232-0771

PROJECT:
ES13900 - PLS - CC089

ADDRESS:
4000 W. 26TH ST.
CHICAGO , IL 60623

DATE: 03/07/25

PROJECT NUMBER:
ES13900

DESIGNER:
MAURICIO

REVISIONS
R1:
R2:
R3:

APPROVALS / DATE
CLIENT:
LANDLORD:

SEVEN YEAR WARRANTY

® Installation requirements. This sign is to be installed in accordance with the requirements of article 600 of the national electrical code and other applicable local codes. This includes proper grounding and bonding. The location of the disconnect switch after installation shall comply with Article 600.6(A)(1) of the National Electrical Code.

All conceptual renderings are property of Ezzi Signs. Any reproduction, exhibition or use of this drawing is strictly prohibited
©2025. All rights reserved.